

L Number	Hits	Search Text	DB	Time stamp
1	3	709/245 and (e-mail or (electronic adj mail)) same ((reply or reply-to or reply-to-all or forward) adj (button or icon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 15:52
-	1	ULLMANN-LORIN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:06
-	6	KUBIK-JOSEPH.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:02
-	39	ULLMANN-LORIN-EVAN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 15:50
-	0	709/206 and ((automatic\$4 or dynamic\$4) adj (address or destination) adj generat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:46
-	0	709/206 and ((forward\$3 or repl\$3) near2 e-mail with (previous or original) adj2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:48
-	1	((forward\$3 or repl\$3) near2 e-mail with (previous or original) adj2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 10:56
-	0	chain adj forward\$3 adj e-mail adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 10:57
-	1	chain near3 forward\$3 adj e-mail adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 10:59
-	3	search\$3 near3 address\$2 near3 e-mail adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:00
-	125	search\$3 near3 e-mail adj address\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:01
-	17	709/206 and (search\$3 near3 e-mail adj address\$2 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:02
-	7	(709/206 and (search\$3 near3 e-mail adj address\$2 )) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:03
-	3	((search\$3 or scan\$4) near3 (body or text or message or attach\$3) near3 (e-mail or previous or sender or origina\$5) adj address\$2) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:07

-	137	((search\$3 or scan\$4) near3 (body or text or message or attach\$3) near3 (e-mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 11:08
-	55	((((search\$3 or scan\$4) near3 (body or text or message or attach\$3) near3 (e-mail))) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 11:25
-	6	((search\$3 or scan\$4 or retriev\$3 or obtain\$3) near3 (e-mail adj address\$2) with forward\$3) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 11:52
-	1	((search\$3 adj3 body adj3 e-mail adj message)) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 11:54
-	21	((search\$3 adj3 e-mail adj message)) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 12:55
-	20	(previous\$2 near2 (recipient\$1 or address\$2) near2 (address adj book)) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 12:58
-	19	((previous\$2 or former) adj2 (recipient\$1 or address\$2) near2 (address adj book)) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 13:09
-	113	forward\$3 adj2 e-mail adj message and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 13:12
-	31	(previous or former or original) adj sender adj address\$3 and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 14:38
-	0	enhanc\$3 adj (electronic or e-mail) adj composer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 14:39
-	0	enhanc\$3 adj (electronic or e-mail) adj composer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 14:39
-	0	enhanc\$3 adj (electronic or e-mail) adj compos\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 14:39
-	221	(electronic or e-mail) adj compos\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:03
-	190	forward\$3 adj (e-mail adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:04

-	91	(forward\$3 adj (e-mail adj message)) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:04
-	26	((forward\$3 adj (e-mail adj message)) and @ad<20000928) and 709/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:20
-	2975	search\$3 adj2 (previous or former) adj recipient\$1 message adj header\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:21
-	0	previous adj recipient adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:27
-	103	"FORWARD" SAME recipient adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 15:28
-	62	("FORWARD" SAME recipient adj message) AND @AD<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 16:08
-	22	scan\$3 near3 (e-mail or email) adj (message or text or body) and @AD<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 16:14
-	0	(automatic\$5 or dynamic\$5) adj address\$2 near2 (generat\$4 or creat43) with e-mail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 16:16
-	14	(automatic\$5 or dynamic\$5) near3 address\$2 near2 (generat\$4 or creat43) with e-mail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 16:50
-	1305203	previous or former near2 (email or e-mail ) adj address\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 16:51
-	39	(previous or former or prior or before) near2 (email or e-mail ) adj address\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 17:08
-	10	chain adj recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 17:12
-	0	chain-forward near3 e-mail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 17:13
-	0	extract\$3 adj address\$3 with (previous or former or origin\$5) adj recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 17:14

-	0	extract\$3 adj address\$3 same (previous or former or origin\$5) adj recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:15
-	0	extract\$3 adj address\$3 same (previous or former or origin\$5) near3 recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:15
-	1777	(previous or former or origin\$5) near3 recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:15
-	180	((previous or former or origin\$5) near3 recipient\$1) and 709/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:15
-	97	((previous or former or origin\$5) near3 recipient\$1) and 709/206) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:33
-	56	e-mail adj reader and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:34
-	56	(e-mail adj reader and @ad<20000928) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 17:34
-	1	("6615241").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:15
-	0	e-mail with reply-to-all	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:16
-	0	e-mail with reply adj all	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:16
-	0	e-mail with reply near2 all	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:16
-	0	e-mail same reply adj all	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:17
-	0	e-mail same reply near2 all	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:17
-	0	e-mail and "reply to all"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:18

-	0	"reply to all"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:21
-	80	reply-to	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:21
-	31	reply-to and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:44
-	1375	forward adj button	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:44
-	30	(forward adj button) and 709/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:44
-	19	((forward adj button) and 709/206) and @ad<20000928	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:44